

This is a legal document-Please read it thoroughly then sign, and date it.



## Patient Contract

This Patient Contract is supported by my surgeon, Dr. \_\_\_\_\_, and will be effective and ongoing from the date of my initial evaluation for **gastric bypass surgery**. The purpose of this Contract is to outline and document that I, \_\_\_\_\_ (patient name) **understand and agree to follow all of my surgeon's instructions, protocols and directions before and after my surgery.**

Bariatric surgery is a special opportunity for patients with obesity to improve the quality of their lives. My surgeon's weight loss program is dedicated to promoting and providing the option of bariatric surgery to all qualified candidates. However, **it has been well documented that bariatric surgery patients who are non compliant with medication, postoperative instructions, and outpatient follow up visits, or who otherwise do not take care of themselves, have a higher degree of complications.**

I affirm that I am significantly overweight and have attempted non-surgical weight loss programs without success. My surgeon has explained that obesity can cause early death and significant medical problems including, but not limited to, hypertension, diabetes, obstructive sleep apnea and high cholesterol.

**I understand that medicine is an unpredictable field. Unpredictable complications can occur. No amount of pre-operative testing can assure an uncomplicated outcome. I have the responsibility to inform my surgeon of any concerns, worries or possible complications at the earliest possible time. I agree that my surgeon may make recommendations, and I take full responsibility if I do not follow these recommendations.**

I understand that significant weight loss is a life-altering event. Significant changes in eating behavior occur. I understand that every patient's experience varies and the exact extent of my ability to cope with significant forced behavior changes cannot be predicted. I understand that my surgeon can assist in locating a mental health provider who can help me with behavioral needs.

**Medication problems:** I understand that I will have to monitor my post-operative medication doses closely with the physicians that have prescribed them. My surgeon and physicians will help if necessary. Examples of common medication problems include lightheadedness from too high a dose of high blood pressure medication and too low a blood sugar level from excessive diabetic medication. I agree to work closely with my primary care physician to regulate my medication.

**Depression:** I understand that it is my responsibility to seek psychological help, if needed. Although most people experience improvements in their mood, some will have worsening states of depression. Weight loss is not a cure-all for all psychological problems. It is my responsibility to seek psychological help when necessary.

**Smoking and other addictions:** If I currently smoke, I agree to and take full responsibility to quit smoking to prevent potential life threatening illnesses. Addiction to alcohol, narcotics and other illicit drugs will severely impact my health.

**Return to work:** I understand that although many patients can return to work within one to two weeks, some patients may require a longer recovery. My surgeon and physicians are not responsible for any financial difficulties due to lost work time.

## Patient Contract

**Osteoporosis:** Calcium deficiency may occur years after a gastric bypass. This is a difficult to diagnosis to make until weakness of the bones has already developed. I understand that I am expected to take calcium supplements and supplemental Vitamin D for life after this operation.

**B vitamin deficiencies:** I understand that deficiencies in Thiamine, Niacin, B12 and others have been reported following weight loss surgery. These B vitamin deficiencies are very rare. Some B vitamin deficiencies can cause irreversible neurological damage. All patients are required to take a multivitamin supplement for life after this operation. Sometimes, additional B vitamin supplements are also required.

**Abdominal pain:** I understand that some patients may develop a twist in their intestines after this operation which may cause intermittent and/or severe abdominal pain, and which can, in rare cases, be fatal. These symptoms may occur any time after surgery. X-ray tests may not show the abnormality. Only a qualified bariatric surgeon is trained to diagnose and treat this problem. If I develop abdominal pain after my gastric bypass, I will notify my bariatric surgeon.

**Poor weight loss and weight regain:** Weight regain may occur, especially with “grazing” behavior. Constantly eating foods such as chips and nuts or other high calorie snacks will result in less than expected weight loss or even weight regain. I will take responsibility for my eating behaviors.

Exercise is an excellent means to improve health and maintain weight loss. I take responsibility to increase my physical activity and will discuss with my surgeon and physicians healthy ways to do so. Weight loss after a gastric bypass is expressed as loss of a percentage of my pre-operative excess body weight. Excess weight is defined as my current weight minus my ideal body weight. On average, patients lose between 70% and 80% of excess weight at two years. The range of excess weight loss that nearly all patients experience may range widely from 40% to 100%. My surgeon will give me recommendations on how to experience the most optimal weight loss. Although the majority of patients are satisfied with their weight loss, there is no guarantee that I will achieve my goal weight.

I understand that the chances of reaching my ideal body weight are low. I understand that bariatric surgery is a tool that assists with weight loss. I understand that most patients will regain some weight, and that a few can regain substantial weight. I understand that is my responsibility to maintain healthy eating and exercise habits as prescribed by my surgeon and physicians to assist in maintenance of optimum weight loss.

**Pregnancy:** Women who were infertile may become fertile after their gastric bypass surgery. If I am a female, I understand that I will need to use birth control to prevent unexpected pregnancies for 24 months after this procedure. The risks associated with pregnancy in an obese person are generally higher than those in a non-obese person. There is no significant data to suggest that the risks of pregnancy are greater, either to the mother or child, after gastric bypass surgery. However, the safety of pregnancy is NOT established for patients or their fetus during periods of rapid weight loss. **For this reason I agree not to become pregnant for 24 months after my gastric bypass surgery. I understand that serious, life-threatening complications may occur. I take full responsibility for using reliable birth control during this period of time.**

If I intend to become pregnant, I agree that before and during pregnancy I will discuss my nutritional needs with my surgeon and obstetrician. I will always make sure that I am taking adequate vitamins and minerals throughout pregnancy and while nursing. I understand that my surgeon is not responsible for complications of pregnancy as complications may occur with any pregnancy, and there is no definitive means to prove any complication during pregnancy was due solely to the gastric bypass surgery.

